



REVISIONS				
REV. NO.	E.C.O. NUMBER	DESCRIPTION	BY DATE	APP'D DATE
2		ADDED NOTE 2	10/29/03	10/29/03



**UNCONTROLLED DOCUMENT
WILL NOT BE UPDATED**

RESTRICTED & CONFIDENTIAL CONFIDENTIAL PROPERTY OF DANIELS DISCLOSED TO OTHERS, REPRODUCED OR USED FOR ANY OTHER PURPOSE, WITHOUT THE WRITTEN PERMISSION OF DANIELS MANUFACTURING CORP. OR DANIELS MANUFACTURING CORP. ON COMPLETION OF ORDER. THIS DRAWING IS THE PROPERTY OF DANIELS MANUFACTURING CORP. WHICH LENT.		MATERIAL		FINISH	
		HEAT TREAT		HEAT TREAT	
ITEM	PART NO.	QTY.	DESCRIPTION/REMARKS	DATE	BY
MR. M. CARRERO	11-13-04		DANIELS MANUFACTURING CORP. ORLANDO, FLORIDA CAGE 1181	11-04	DE
CHK'D.	DATE	DATE		DATE	DATE
APPR.	DATE	DATE		DATE	DATE
NOTE: THIS DRAWING IS AN OUTLINE DRAWING. ACTUAL DIMS INDICATED. ACTUAL DIMS PART NUMBER INDICATING NUMBER WITHIN THE "ENV" SUFFIX.					
WHERE USED:			SIZE	SCALE	SHEET OF
			C	N/1S	1
			POSTING	DWG. NO.	REV.
				DBS-1200-ENV	2

2. USES 1/8" WIDE BANDS (DMC P/N 4-1553).
1. TOOL CALIBRATION: SET AT 72 ±10 LBS. USING CALIBRATION GAGE DBS-CG1.
- NOTES: